

SUPPLEMENTARY MATERIAL

Suppl table 1. Population presentation’s characteristics details

Population presentation’s characteristics details	BP-DES N=793	DP-DES N=1,286	p-value
Stable angina, n (%)	197 (24.8)	324 (25.2)	0.857
Silent ischemia, n (%)	95 (12.0)	119 (9.3)	0.047
Unstable angina, n (%)	76 (9.6)	88 (6.8)	0.024
STEMI, n (%)	153 (19.3)	307 (23.9)	0.015
NSTEMI, n (%)	169 (21.3)	313 (24.3)	0.112
Other, n (%)	84 (10.6)	106 (8.2)	0.071

STEMI, ST-elevation myocardial infarction; NSTEMI, non-ST-elevation myocardial infarction

Suppl table 2. ST types

ST types	BP-DES N=793	DP-DES N=1,286	p-value
Acute ST, n (%)	10 (1.3)	4 (0.3)	0.010
Subacute ST, n (%)	4 (0.5)	6 (0.5)	0.904
Late ST, n (%)	1 (0.1)	2 (0.2)	0.864
Very late ST, n (%)	2 (0.3)	3 (0.2)	0.932

ST, stent thrombosis

Suppl table 3. Results of covariate analysis

Results of covariate analysis (Binary logistic regression for DOCE and POCE and Cox regression for ST)	BP-DES N=793	DP-DES N=1,286	p-value
DOCE, n (%) 1 month	31 (3.9)	50 (3.9)	0.497
POCE, n (%) 1month	92 (11.6)	118 (9.2)	0.038
Definite/probable ST, n (%) 1 month	14 (1.8)	10 (0.8)	0.031
DOCE, n (%) 1 year	64 (8.1)	119 (9.3)	0.581
POCE, n (%) 1 year	163 (20.6)	265 (20.6)	0.984
Definite/probable ST, n (%) 1 year	15 (1.9)	12 (0.9)	0.052
DOCE, n (%) 2 years	96 (12.1)	186 (14.5)	0.158
POCE, n (%) 2 years	235 (29.6)	389 (30.2)	0.677
Definite/probable ST, n (%) 2 years	17 (2.1)	15 (1.2)	0.065
Acute ST, n (%)	10 (1.3)	4 (0.3)	0.016

DOCE, device-oriented composite endpoint; POCE, patient-oriented composite endpoint; ST, stent thrombosis